

Resource Query Terms

Last Modified on 01/22/2024 3:29 pm PST

Parameter	Description	Operators	Values	Type	Example
isFav	returns favorite resources	=	True	Boolean	<code>::isFav = true</code>
<code>name</code>	returns resources with a name matching a value	= startsWith endsWith contains	any string	string	<code>::name startsWith 'mic'</code>
modifiedSince	returns resources with a modified date greater than or equal to the given date	=	any date value	date	<code>::modifiedSince = '2024-05-04'</code>
modifiedBy	returns resources modified by a given person	=	any contact	string	<code>::modifiedBy = 'Bob'</code>
resource	returns the exact resources selected from the suggestion dropdown	in	one or more resources, selected from the suggestion dropdown	string	<code>::resource in ('Mic')</code>
resourceSearch	returns resources associated with the resources returned from a resource search	=	a resource search	string	<code>::resourceSearch = 'My Favorite Resources'</code>
category	returns resources associated with categories	in notIn all	one or more resource categories, selected from the suggestion dropdown	string	<code>::category in ('Infinite Quantity') ::category notIn ('Wireless') ::category all ('Requires 24v Power', 'Heavy')</code>

Parameter	Description	Operators	Values	Type	Example
relationship	returns resources that have a certain relationship with selected resources	in notIn all	a relationship type and one or more resources, selected from the suggestion dropdown	string	<pre>::relationship in ('relationship:8', 'Mic', 'Podium')</pre> <pre>::relationship notIn ('relationship:9', 'Projector')</pre> <pre>::relationship all ('relationship:9', 'Projector', 'Whiteboard')</pre>
event	returns resources within selected events	in	one or more events, selected from the suggestion dropdown	string	<pre>::event in ('Book Club Meeting', 'How to Fight Chaos')</pre>
eventSearch	returns resources returned from a saved search	=	an event search	string	<pre>::eventSearch = 'Events On Main Campus'</pre>
custAtrb	returns resources matching a selected custom attribute and its value	in	Varies; see below	string	<pre>::custAtrb in ('Cancel if Bad Weather?', 'is True', 'B')</pre> <pre>::custAtrb in ('Annual Inspection Date', 'is later than or equal to', '2024-06-30' 'D')</pre> <pre>::custAtrb in ('Rental Amount Received', 'exists', 'F')</pre>