
Using System-Supplied Event Master Definition Items

In addition to the Master Definition items you create, 25Live includes a number of system-supplied event master definition items which are marked with a negative ID number and have **Delete** and **Force Delete** buttons that are grayed out. These items can't be deleted, but can be deactivated.



System-Supplied Definitions

The system-supplied Master Definitions available in your instance may vary from those listed below.

Event Categories

- Export to vCalendar (Not currently in use.)
- Hot Event Used by the system as the criterion for the default search displayed to non-signed-in users.

Event Contact Roles

- Instructor Used to designate the instructor of a class. If the Series25 LYNX Interface is configured to import instructors, it will populate this event role automatically.
- Requestor Used to designate the name of the 25Live user who created an event or event draft.
- Scheduler Used to designate the name of the 25Live user who created an event or event draft. If a default scheduler has been specified in 25Live, the system automatically enters that name in this role.

Organization Contact Roles

• Billing Contact — Used to designate the name of the contact who pushes events to the <u>25Live</u> accounting system.

Event Custom Attributes

- Allow Registration Used as a part of 25Live Event Registrations.
- Conflict Decider (Not currently in use.)
- Detail Image Used to specify a URL to appear in 25Live Publisher calendar event detail views.
- Event Image Used to specify a URL to appear in 25Live Publisher calendar spuds that include images (most often thumbnails).
- Hot Event Image (Not currently in use.)
- **Priority Override** Used to specify that an event's <u>location assignment</u> shouldn't be removed by the academic priority feature, which normally gives location assignment priority to classes.
- Registration Used as a part of 25Live Event Registrations.
- SIS Bound Reservation Missing (Not currently in use.)
- SIS Sync Paused Used to indicate that an event imported from LYNX has been paused
- Outlook Calendar ID Used to identify calendars for Outlook integrations.
- WDYT Event Survey (Not currently in use.)
- Web Site Used to specify the URL of an event's promotional website.
- X25 CIP Code (Not currently in use.)

Location Custom Attributes

- Latitude Used to designate the latitude of an event location for use by maps in location detail displays.
- Longitude Used to designate the longitude of an event location for use by maps in location detail displays.
- Map Most often used to specify a URL to a campus map PDF with an event's location highlighted.
- X25 Assignable Area Used to specify the net assignable square feet of a location.
- X25 Floor Number (Not currently in use.)
- X25 Building Used to specify the building a location (space).
- X25 Room Use Code Used to sort and analyze room usage according to the room's type.
- X25 Owner Organization Used to designate the organization that has primary responsibility for a location.

Contact Custom Attributes

- Security Answer Used by the system to house the answer given by a 25Live user to a security question sent in response to a new password request. If the user provides the correct answer, the system sends an email with a new password.
- Security Question Used by the system to house the security question to be sent to a 25Live user in response
 to a new password request.

Organization Custom Attributes

- X25 CIP Code (Not currently in use.)
- X25 College Used to specify a <u>location</u>'s associated college, division, or professional school for X25 space analysis purposes.

CollegeNET Series25 Help and Customer Resources